CERTIFICATE OF COMPLIANCE

Certificate Number E307014

Report Reference E307014 - 20170417

Issue Date 2023-MAY-05

Issued to: BALLUFF GMBH

Schurwaldstrasse 9 73765 Neuhausen a.d.F..

GERMANY

This certificate confirms that representative samples of

Cable Assemblies and Fittings for Industrial Control and

Signal Distribution - Component See Addendum Page for Models

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete

in certain constructional features or restricted in

performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: UL 2238 and C22.2 No. 182.3 - Cable Assemblies and

Fittings for Industrial Control and Signal Distribution

Additional Information: See UL Product iQ[®] at https://iq.ulprospector.com for

additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

Barrely

Bruce Mahrenholz, Conformity Assessment Director

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Customer Service at https://ul.com/aboutul/locations/

(III)

CERTIFICATE OF COMPLIANCE

Certificate Number

E307014

Report Reference

E307014 - 20170417

Issue Date

2023-MAY-05

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Outlet - Models, 159195, 260135

Inlet - Models, 215844, 260136.

 $\begin{array}{llll} \textbf{Female cable fittings - Models,} & BCC & M474-0000-1D-000-51X475-000, BCC & M484-0000-1D-000-51X475-000, BCC & M445-0000-1A-000-51X575-000, BCC & M445-0000-1A-000-41X575-000, BCC & M445-0000-1A-000-51X475-000, BCC & M435-0000-1A-000-51X575-000, BCC & M435-0000-1A-000-51X475-000, BCC & M435-0000-1A-000-41X475-000, BCC & M435-0000-1A-000-41X575-000, BCC & M436-0000-1A-000-51X850-000, BCC & M435-0000-1A-000-41X575-000, BCC & M435-0000-1A-000-41X575-000, BCC & M435-0000-1A-000-41X575-000, BCC & M435-0000-1B-000-01X575-000, BCC & M435-0000-1B-000-41X575-000, BCC & M435-0000-1B-000-41X575-000, BCC & M435-0000-1B-000-41X575-000, BCC & M435-0000-1B-000-41X575-000-C010, BCC & M435-0000-1L-000-61X5B5-000. \\ \end{array}$

 $\begin{array}{l} \textbf{Male cable fittings-Models,} \ BCC\ M484-0000-2D-000-51X475-000,} \ BCC\ M474-0000-2D-000-51X475-000,} \ BCC\ M484-0000-2D-000-51X475-000-C025,} \ BCC\ M475-0000-2A-000-01X575-000,} \ BCC\ M435-0000-2A-000-41X575-000,} \ BCC\ M444-0000-2A-000-41X475-000,} \ BCC\ M444-0000-2A-000-51X475-000,} \ BCC\ M435-0000-2A-000-51X575-000,} \ BCC\ M435-0000-2A-000-51X575-000,} \ BCC\ M438-0000-2A-000-51X850-000,} \ BCC\ M435-0000-2A-000-41X575-000,} \ BCC\ M435-0000-2A-000-41X575-000,} \ BCC\ M435-0000-2A-000-41X575-000,} \ BCC\ M435-0000-2A-000-2A-000-41X575-000,} \ BCC\ M435-0000-2B-000-01X575-000,} \ BCC\ M435-0000-01X575-000,} \ BCC\ M435-0000-01X575-000,} \ BCC\ M435-0000-01X575-000,} \ BCC\ M435-0000-0$

 $\label{eq:cable fittings straight - Models, BCC} A334-0000-10-000-51X4A5-000, BCC A334-0000-10-000-61X4A5-000, BCC A334-0000-10-000-71X4A5-000, BCC A335-0000-10-000-51X5A5-000, BCC A335-0000-10-000-61X5A5-000, BCC A335-0000-10-000-71X5A5-000, BCC A333-0000-10-000-61X3A5-000, BCC A333-0000-10-000-71X3A5-000, BCC A333-0000-10-000-81X5A5-000.$

Female cable fittings right angle – Models, BCC A345-0000-10-000-51X5A5-000, BCC A345-0000-10-000-61X5A5-000, BCC A345-0000-10-000-71X5A5-000, BCC A344-0000-10-000-51X4A5-000, BCC A344-0000-10-000-61X4A5-000, BCC A344-0000-10-000-71X4A5-000, BCC A343-0000-10-000-61X3A5-000, BCC A343-0000-10-000-71X3A5-000.

Male cable fittings straight – Models, BCC A334-0000-20-000-51X4A5-000, BCC A334-0000-20-000-61X4A5-000, BCC A334-0000-20-000-71X4A5-000, BCC A335-0000-20-000-51X5A5-000, BCC A335-0000-20-000-61X5A5-000, BCC A335-0000-20-000-71X5A5-000, BCC A333-0000-20-000-61X3A5-000, BCC A333-0000-20-000-71X3A5-000, BCC A333-0000-20-000-71X3A5-000, BCC A335-0000-20-000-81X5A5-000.

Male cable fittings right angle – Models, BCC A345-0000-20-000-51X5A5-000, BCC A345-0000-20-000-61X5A5-000, BCC A345-0000-20-000-71X5A5-000, BCC A344-0000-20-000-51X4A5-000, BCC A344-0000-20-000-61X4A5-000, BCC A344-0000-20-000-71X4A5-000, BCC A343-0000-20-000-61X3A5-000, BCC A343-0000-20-000-71X3A5-000.

Barrelle

Bruce Mahrenholz, Conformity Assessment Director

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Customer Service at https://ul.com/aboutul/locations/



CERTIFICATE OF COMPLIANCE

Certificate Number Report Reference E307014

rt Reference E307014 - 20170417

Issue Date 2023-MAY-05

Cable assemblies, Female angled connector, solder, shieldable size: 4 - 6mm, 6 - 8mm - BKS-S 33M-00

Barrelly

Bruce Mahrenholz, Conformity Assessment Director

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Customer Service at http://ul.com/aboutul/locations/

